


AC Brass SP 900

**The latest
innovation
for brass wire**



AC Brass SP 900

Innovation is never over for brass wire


This brass wire is specially developed for GF Machining Solutions to increase cutting speed. Used in combination with the latest AC Brass 900 cutting technology, you will get the best from your machine with lower production costs thanks to higher cutting speed. To demonstrate this productivity increase with AC Brass SP 900, we have done comparative tests with brass wire under the conditions described below.

Test conditions and protocol

Part material	Steel 1.2379 / X153CrMoV12
Part height	50 mm
Part geometry	M punch (see picture)
Part roughness	Ra 0,60 µm
Flushing conditions	Minimum gap
Machines	CUT C series CUT E series CUT P series

Cost calculation assumptions

Total fixed costs per machine hour	30 €
Machine usage	8 hours per day 5 days per week 48 weeks per year




Comparative test

○ AC Brass LP 900
Ø0.30 mm

○ AC Brass SP 900
Ø0.30 mm

Benefits compared to Brass



Available items

	Ø0.20	Ø0.25	Ø0.30	package
K 160 (8 kg)	•	•	•	2 spools
K 200 (16 kg)	•	•	•	1 spool
K 250 (25 kg)	•	•	•	1 spool
JP 5 (5 kg)	•	•	–	4 spools
JP 10 (10 kg)	•	•	•	2 spools
JP 15 (20 kg)	•	•	•	1 spool

Ø in mm

Specifications	
Coating	No coating
Conductivity	20% IACS
Elongation	>2%
Tensile strength	900 N/mm ²
Material	Brass CuZn37 / CuZn40

AC Brass SP 900

The latest innovation to increase brass wire cutting speed




Certified wire

At a glance

We enable our customers to run their businesses efficiently and effectively by offering innovative Milling, EDM, Laser, Additive Manufacturing, Spindle, Tooling and Automation solutions. A comprehensive package of Customer Services completes our proposition.

www.gfms.com



© GF Machining Solutions Management SA, 2021
The technical data and illustrations are not binding.
They are not warranted characteristics and are
subject to change.